

Versi 1.0	on	Revision Date: 19.09.2022		S Number: 0062454906	This version replaces all previous versions.			
SECI	SECTION 1. PRODUCT AND COMPANY IDENTIFICATION							
F	Product name		:	ACELEPRYN GF	RUB & ARMYWORM			
[	Design	code	:	A16130J				
Γ	Manufa	acturer or supplier's c	letai	ils				
(	Compa	ny	:	Syngenta Austra www.syngenta.c	lia Pty Ltd (ABN 33 002 933 717) om.au			
ļ	Addres	S	:	2-4 Lyonpark Ro Macquarie Park Australia				
٦	Teleph	one	:	(02) 8014 5200				
E	Emerge	ency telephone number	r:	13 11 26 (Poisor 1800 033 111 (S	n Information Centre) yngenta)			
٦	Telefax		:	(02) 8876 8446				
F	Recom	mended use of the cl	hem	ical and restriction	ons on use			
F	Recom	mended use	:	Insecticide				

### **SECTION 2. HAZARDS IDENTIFICATION**

### **GHS Classification**

Not a hazardous substance or mixture.

### **GHS label elements**

Not a hazardous substance or mixture.

### Other hazards which do not result in classification

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

1

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
chlorantraniliprole	500008-45-7	>= 10 -< 30
propane-1,2-diol	57-55-6	< 10

### **SECTION 4. FIRST AID MEASURES**

General advice

Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.



Version 1.0	Revision Date: 19.09.2022	SDS Number: S00062454906	This version replaces all previous versions.				
If inhaled		If breathing tion. Keep patie	If breathing is irregular or stopped, administer artificial respira-				
In case of skin contact		: Take off all Wash off in If skin irrita	contaminated clothing immediately. nmediately with plenty of water. tion persists, call a physician. aminated clothing before re-use.				
In case of eye contact		: Rinse imme for at least Remove co	ediately with plenty of water, also under the eyelids, 15 minutes. ntact lenses. medical attention is required.				
If swallowed		: If swallowe container o	d, seek medical advice immediately and show this				
	t important symptoms effects, both acute and yed	: Nonspecific					
	s to physician		specific antidote available. tomatically.				

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Extinguishing media - small fires Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Extinguishing media - large fires Alcohol-resistant foam or Water spray
Unsuitable extinguishing media	:	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards during fire- fighting	:	As the product contains combustible organic components, fire will produce dense black smoke containing hazardous prod- ucts of combustion (see section 10). Exposure to decomposition products may be a hazard to health.
Specific extinguishing meth- ods	:	Do not allow run-off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with water spray.
Special protective equipment for firefighters Hazchem Code	:	Wear full protective clothing and self-contained breathing ap- paratus. •3Z

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform



Version 1.0	Revision Date: 19.09.2022	SDS Number: S00062454906	This version replaces all previous versions.	
		respective autho	prities.	
	nods and materials for ainment and cleaning up	<ul> <li>Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to loca / national regulations (see section 13).</li> <li>Clean contaminated surface thoroughly.</li> <li>Clean with detergents. Avoid solvents.</li> <li>Retain and dispose of contaminated wash water.</li> </ul>		
SECTION	7. HANDLING AND ST	ORAGE		
Advi	ce on safe handling	Avoid contact wi When using do r	ctive measures against fire required. th skin and eyes. not eat, drink or smoke. otection see section 8.	
Cond	ditions for safe storage	: No special stora Keep containers ventilated place. Keep out of the	ge conditions required. tightly closed in a dry, cool and well-	

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis			
chlorantraniliprole	500008-45-7	TWA	5 mg/m3	Syngenta			
		TWA	10 mg/m3 (Total dust)	Supplier			
		TWA	5 mg/m3 (Respirable dust)	Supplier			
propane-1,2-diol	57-55-6	TWA (partic- ulate)	10 mg/m3	AU OEL			
		TWA (Total (vapour and particles))	150 ppm 474 mg/m3	AU OEL			

#### Components with workplace control parameters

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.



Version 1.0	Revision Date: 19.09.2022		9S Number: 0062454906	This version replaces all previous versions.
			Where necessar vice.	y, seek additional occupational hygiene ad-
Perse	onal protective equip	ment		
Resp	iratory protection	:	quired. When workers a	piratory protective equipment normally re- re facing concentrations above the exposure se appropriate certified respirators.
Hand	protection		,	
Eye p	emarks protection and body protection	:	No special prote No special prote	ctive equipment required. ctive equipment required. ctive equipment required. body protection based on the physical job
Prote	ctive measures	:	over the use of p	nical measures should always have priority personal protective equipment. personal protective equipment, seek appro- nal advice.
			Personal protect national standar	tive equipment should comply with relevant ds

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	grey
Odour	:	like alcohol, weak
Odour Threshold	:	No data available
рН	:	5 - 9 Concentration: 1 % w/v
		6.6 Concentration: 100 % w/v
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	Method: Pensky-Martens closed cup does not flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper	:	No data available



Vers 1.0	ion	Revision Date: 19.09.2022		S Number: 0062454906	This version replaces all previous versions.
	flammability limit				
		explosion limit / Lower bility limit	:	No data available	
	Vapour	pressure	:	No data available	9
	Relativ	e vapour density	:	No data available	
	Density	/	:	1.09 g/cm3	
	Solubili Wat	ty(ies) er solubility	:	No data available	•
	Solu	ubility in other solvents	:	No data available	
	Partitio octanol	n coefficient: n-	:	No data available	
		nition temperature	:	535 °C	
	Decom	position temperature	:	No data available	
	Viscosi Visc	ty cosity, dynamic	:	No data available	
	Visc	cosity, kinematic	:	No data available	
	Explosi	ve properties	:	Not explosive	
	Oxidiziı	ng properties	:	The substance o	mixture is not classified as oxidizing.
	Particle	e size	:	No data available	

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	None reasonably foreseeable.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac-	:	No dangerous reaction known under conditions of normal use.
tions		
Conditions to avoid	:	No decomposition if used as directed.
Incompatible materials	:	None known.
Hazardous decomposition	:	No hazardous decomposition products are known.
products		

### SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes	: Ingestion Inhalation Skin contact Eye contact
Acute toxicity	

Product:



rsion	Revision Date: 19.09.2022		Number: This version replaces all previous version 062454906
Acute	oral toxicity	: 1	_D50 (Rat, female): > 5,000 mg/kg
Acute	inhalation toxicity	 - /	_C50 (Rat, male and female): > 4.75 mg/l Exposure time: 4 h Fest atmosphere: dust/mist Assessment: The substance or mixture has no acute inhala- ion toxicity
Acute	dermal toxicity	: 1	_D50 (Rat, male and female): > 5,000 mg/kg
Com	oonents:		
chlor	antraniliprole:		
Acute	oral toxicity	: 1	_D50 (Rat): > 5,000 mg/kg
Acute	inhalation toxicity	 - /	_C50 (Rat): > 5.1 mg/l Exposure time: 4 h Fest atmosphere: dust/mist Assessment: The substance or mixture has no acute inhala- ion toxicity
Acute	dermal toxicity	: 1	_D50 (Rat): > 5,000 mg/kg
Skin	corrosion/irritation		
Prod			
Speci Resu			Rabbit No skin irritation
Com	<u>oonents:</u>		
chlor	antraniliprole:		
Speci Resu			Rabbit No skin irritation
Serio	us eye damage/eye i	rritatio	n
Prod	uct:		
Speci Resu			Rabbit No eye irritation
<u>Com</u>	oonents:		
chlor	antraniliprole:		
Speci Resu			Rabbit No eye irritation
Boon	iratory or skin sensit	isation	
Resp			
Produ	uct:		



rsion	Revision Date: 19.09.2022		0S Number: 0062454906	This version replaces all previous version
Result		:	Did not cause s	ensitisation on laboratory animals.
Comp	<u>onents:</u>			
	antraniliprole:			
Specie	-	:	Guinea pig	
Result		:		ensitisation on laboratory animals.
Chron	ic toxicity			
Germ	cell mutagenicity			
<u>Comp</u>	onents:			
chlora	antraniliprole:			
Germ Asses		:	Animal testing d	lid not show any mutagenic effects.
Carcii	nogenicity			
Comp	onents:			
chlora	antraniliprole:			
Carcin ment	ogenicity - Assess-	:	No evidence of	carcinogenicity in animal studies.
Repro	ductive toxicity			
<u>Comp</u>	onents:			
chlora	antraniliprole:			
Repro sessm	ductive toxicity - As- ent	:	No toxicity to re	production
STOT	- single exposure			
<u>Comp</u>	onents:			
chlora	ntraniliprole:			
Asses	sment	:		or mixture is not classified as specific target single exposure.
стот	- repeated exposure			
Comp	onents:			
chlora	ntraniliprole:			
Asses	sment	:		or mixture is not classified as specific targer repeated exposure.
Aspira	ation toxicity			
<u>Comp</u>	onents:			
chlor	antraniliprole:			



Version 1.0 Revision Date: 19.09.2022

SDS Number: S00062454906

This version replaces all previous versions.

### SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

### Product:

Toxicity to daphnia and other aquatic invertebrates:EC50 (Daphnia magna (Water flea)): 0.052 mg/l Exposure time: 48 hToxicity to algae/aquatic plants::ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l Exposure time: 96 hComponents: chlorantraniliprole: Toxicity to fish:::Toxicity to daphnia and other aquatic invertebrates:::Coticy to daphnia and other aquatic invertebrates:::Coxicity to fish (Chronic tox- plants::::Coxicity to fish (Chronic tox- icity):::::Cocity to fish (Chronic tox- plants::::::Toxicity to fish (Chronic tox- icity):::::::Toxicity to fish (Chronic tox- icity)::<	Toxicity to fish	:	LC50 (Cyprinus carpio (Carp)): > 100 mg/l Exposure time: 96 h
plants       100 mg/l         Exposure time: 96 h         NOEC (Raphidocelis subcapitata (freshwater green alga)): 31.3 mg/l         Exposure time: 96 h         Components:         chlorantraniliprole:         Toxicity to fish       :         LC50 (Oncorhynchus mykiss (rainbow trout)): > 13.8 mg/l         Exposure time: 96 h         LC50 (Lepomis macrochirus (Bluegill sunfish)): > 15.1 mg/l         Exposure time: 96 h         Toxicity to daphnia and other aquatic invertebrates         :       EC50 (Daphnia magna (Water flea)): 0.0116 mg/l         Exposure time: 96 h         Toxicity to algae/aquatic plants       :         :       EC50 (Raphidocelis subcapitata (freshwater green alga)): > 2 mg/l         Exposure time: 96 h       :         Toxicity to fish (Chronic tox-ignl)       :         :       EC50 (Raphidocelis subcapitata (freshwater green alga)): > 2 mg/l         Exposure time: 96 h       :         Toxicity to fish (Chronic tox-ignl)       :         :       NOEC (Oncorhynchus mykiss (rainbow trout)): 0.11 mg/l         Exposure time: 90 d       :         Toxicity to daphnia and other aquatic invertebrates (Chron-ic tox-ic tox-ic tox-ic toxicity)       :         :       NOEC (Daphnia magna (Water flea)): 0.00447 mg/l		:	
31.3 mg/l       Exposure time: 96 h         Components:       chlorantraniliprole:         Toxicity to fish       :       LC50 (Oncorhynchus mykiss (rainbow trout)): > 13.8 mg/l         Exposure time: 96 h       LC50 (Lepomis macrochirus (Bluegill sunfish)): > 15.1 mg/l         Toxicity to daphnia and other aquatic invertebrates       :       EC50 (Daphnia magna (Water flea)): 0.0116 mg/l         Toxicity to algae/aquatic plants       :       EC50 (Raphidocelis subcapitata (freshwater green alga)): > 2 mg/l         Toxicity to fish (Chronic tox-icity)       :       NOEC (Oncorhynchus mykiss (rainbow trout)): 0.11 mg/l         Toxicity to daphnia and other aquatic invertebrates (Chronic tox-icity)       :       NOEC (Oncorhynchus mykiss (rainbow trout)): 0.11 mg/l         Toxicity to to daphnia and other aquatic invertebrates (Chronic tox-icity)       :       NOEC (Daphnia magna (Water flea)): 0.00447 mg/l         Exposure time: 21 d       :       NOEC (Chironomus riparius (harlequin fly)): 0.0025 mg/l         Exposure time: 28 d       :		:	100 mg/l
chlorantraniliprole: Toxicity to fish:LC50 (Oncorhynchus mykiss (rainbow trout)): > 13.8 mg/l Exposure time: 96 hToxicity to fish:LC50 (Lepomis macrochirus (Bluegill sunfish)): > 15.1 mg/l Exposure time: 96 hToxicity to daphnia and other aquatic invertebrates:EC50 (Daphnia magna (Water flea)): 0.0116 mg/l Exposure time: 48 hToxicity to algae/aquatic plants:ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 2 			31.3 mg/l
Toxicity to fish:LC50 (Oncorhynchus mykiss (rainbow trout)): > 13.8 mg/l Exposure time: 96 hToxicity to daphnia and other aquatic invertebrates:EC50 (Lepomis macrochirus (Bluegill sunfish)): > 15.1 mg/l Exposure time: 96 hToxicity to daphnia and other aquatic invertebrates:EC50 (Daphnia magna (Water flea)): 0.0116 mg/l Exposure time: 48 hToxicity to algae/aquatic plants:ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 2 mg/l Exposure time: 96 hToxicity to fish (Chronic tox- icity):NOEC (Oncorhynchus mykiss (rainbow trout)): 0.11 mg/l Exposure time: 90 dToxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity):NOEC (Daphnia magna (Water flea)): 0.00447 mg/l Exposure time: 21 d NOEC (Chironomus riparius (harlequin fly)): 0.0025 mg/l Exposure time: 28 d	Components:		
Exposure time: 96 hLC50 (Lepomis macrochirus (Bluegill sunfish)): > 15.1 mg/lExposure time: 96 hToxicity to daphnia and other aquatic invertebrates:EC50 (Daphnia magna (Water flea)): 0.0116 mg/lToxicity to algae/aquatic plants:ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 2 mg/l Exposure time: 96 hToxicity to fish (Chronic tox- icity):NOEC (Oncorhynchus mykiss (rainbow trout)): 0.11 mg/l Exposure time: 90 dToxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity):NOEC (Daphnia magna (Water flea)): 0.00447 mg/l Exposure time: 21 d NOEC (Chironomus riparius (harlequin fly)): 0.0025 mg/l Exposure time: 28 d	chlorantraniliprole:		
Exposure time: 96 hToxicity to daphnia and other aquatic invertebrates:EC50 (Daphnia magna (Water flea)): 0.0116 mg/l Exposure time: 48 hToxicity to algae/aquatic plants::ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 2 mg/l Exposure time: 96 hToxicity to fish (Chronic tox- icity):NOEC (Oncorhynchus mykiss (rainbow trout)): 0.11 mg/l Exposure time: 90 dToxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity):NOEC (Daphnia magna (Water flea)): 0.00447 mg/l Exposure time: 21 d NOEC (Chironomus riparius (harlequin fly)): 0.0025 mg/l Exposure time: 28 dPersistence and degradability:	Toxicity to fish	:	
aquatic invertebratesExposure time: 48 hToxicity to algae/aquatic plants:ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 2 mg/l Exposure time: 96 hToxicity to fish (Chronic tox- icity):NOEC (Oncorhynchus mykiss (rainbow trout)): 0.11 mg/l Exposure time: 90 dToxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity):NOEC (Daphnia magna (Water flea)): 0.00447 mg/l Exposure time: 21 d NOEC (Chironomus riparius (harlequin fly)): 0.0025 mg/l Exposure time: 28 d			
plants       mg/l Exposure time: 96 h         Toxicity to fish (Chronic tox- icity)       :       NOEC (Oncorhynchus mykiss (rainbow trout)): 0.11 mg/l Exposure time: 90 d         Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)       :       NOEC (Daphnia magna (Water flea)): 0.00447 mg/l Exposure time: 21 d         NOEC (Chironomus riparius (harlequin fly)): 0.0025 mg/l Exposure time: 28 d       NOEC (Chironomus riparius (harlequin fly)): 0.0025 mg/l		:	
icity) Exposure time: 90 d Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity) NOEC (Daphnia magna (Water flea)): 0.00447 mg/l Exposure time: 21 d NOEC (Chironomus riparius (harlequin fly)): 0.0025 mg/l Exposure time: 28 d		:	mg/l
aquatic invertebrates (Chron- ic toxicity) Exposure time: 21 d NOEC (Chironomus riparius (harlequin fly)): 0.0025 mg/l Exposure time: 28 d		:	
NOEC (Chironomus riparius (harlequin fly)): 0.0025 mg/l Exposure time: 28 d Persistence and degradability	aquatic invertebrates (Chron-	:	
	ic toxicity)		
Components:	Persistence and degradabili	ty	
	Components:		

### chlorantraniliprole:

Biodegradability	:	Result: Not readily biodegradable.
------------------	---	------------------------------------



Version 1.0	Revision Date: 19.09.2022		DS Number: 00062454906	This version replaces all previous versions.
Bioa	ccumulative potential			
Com	ponents:			
chlo	rantraniliprole:			
Bioa	ccumulation	:	Remarks: Does	not bioaccumulate.
	tion coefficient: n- nol/water	:	log Pow: 2.76 (2	0 °C)
Mob	ility in soil			
Com	iponents:			
chlo	rantraniliprole:			
	ibution among environ-	:	Remarks: immob	bile
	tal compartments ility in soil	:	Dissipation time:	530 d
				pation: 50 (DT50)
Othe	er adverse effects			
Com	iponents:			
chlo	rantraniliprole:			
	ults of PBT and vPvB ssment	:	lating and toxic (	s not considered to be persistent, bioaccumu- PBT). This substance is not considered to be nd very bioaccumulating (vPvB).

### **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods	
Waste from residues	<ul> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Do not dispose of waste into sewer.</li> <li>Where possible recycling is preferred to disposal or incineration.</li> <li>If recycling is not practicable, dispose of in compliance with</li> </ul>
Contaminated packaging	<ul> <li>local regulations.</li> <li>Non-returnable containers: Triple rinse containers. Add rinsings to spray tank</li> <li>If recycling, replace cap and return clean containers to recycler or designated collection point. Containers marked with the drumMUSTER container logo can be taken to a drumMUS-TER collection site (02 6206 6868, www.drummuster.org.au).</li> <li>Empty containers can be landfilled, when in accordance with the local regulations.</li> <li>If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers:</li> <li>Empty contents fully into application equipment. Close all</li> </ul>



Version 1.0

Revision Date: 19.09.2022

SDS Number: S00062454906 This version replaces all previous versions.

valves and return to point of supply for refill or storage.

### **SECTION 14. TRANSPORT INFORMATION**

### International Regulations

international regulatione		
UNRTDG UN number		UN 3082
Proper shipping name		ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CHLORANTRANILIPROLE)
Class	:	9
Packing group	:	III
Labels	:	9
IATA-DGR		
UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (CHLORANTRANILIPROLE)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passen- ger aircraft)	:	964
Environmentally hazardous	:	yes
IMDG-Code		
UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Class		
Packing group	:	9 III
Labels	:	9
EmS Code	:	9 F-A, S-F
Marine pollutant	:	yes
	•	y00

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **National Regulations**

ADG		
UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
		(CHLORANTRANILIPROLE)
Class	:	9
Packing group	:	
Labels	:	9
Hazchem Code	:	•3Z
Remarks	:	Environmentally Hazardous Substances meeting the descrip- tions of UN 3077 or UN 3082 are not subject to the Australian Code for the Transport of Dangerous Goods (ADG). This ap- plies when transported by road or rail in packagings that do



Version	Re
1.0	19.

vision Date: .09.2022 SDS Number: S00062454906 This version replaces all previous versions.

not incorporate a receptacle exceeding 500 kg(L) or IBCs per ADG Special Provision AU01.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### **SECTION 15. REGULATORY INFORMATION**

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform : Scheduling of Medicines and Poisons	No poison schedule num	ber allocated
Prohibition/Licensing Requirement	s :	There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions.
Product Registration Number	:	APVMA Approval No. 91647

### SECTION 16. OTHER INFORMATION

Revision Date Date format	-	19.09.2022 dd.mm.yyyy		
Full text of other abbreviations				
AU OEL	:	Australia. Workplace Exposure Standards for Airborne Con- taminants.		

AU OEL / TWA : Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization: ISHL - Industrial Safety and Health Law (Japan): ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect



Version	Revision Date:
1.0	19.09.2022

SDS Number: S00062454906 This version replaces all previous versions.

Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemicals Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN